





AUDIO & VIDEO KIT CATALOGUE

2018

Glossary

Audiokits

page 5



page 6 Packaging guide page 7



Videokits page 27

Part number composition page 28 Symbols legend page 28

Glossarv page 28 Packaging guide page 29



Outdoor stations

8000 Series page 56 4000 Series page 58 Smart, Mini and Slim Series page 60

Indoor stations

6200, 6300, 6400 and 6700 Series page 61 Kristallo[®] Series page 63 3600 and 5000 Series page 64









Founded in 1986, Videx designs and manufactures video/audio door entry systems and access controls, standing among the leading companies in the field worldwide.

The variety of the range, quality, service, and the continuity of a purely "Made in Italy" brand have been key factors for Videx Success through its 30 years history.

Our Company exports 95% of the production to more than 45 countries all over the world, offering unique solutions ranging from one or two way systems to complex systems with thousands of apart-

Videx manufactures using only the highest quality components from a select number of well established Italian companies in order to guarantee the highest standards. Our quality control procedures ensure we deliver a first class product to our customers.

VIDEX have been UNI ISO 9001 certified since 2005.

VIDEX is socially and environmentally responsible, producing its own clean energy and using it to run it's purpose build factory: two solar panel systems, accounting for 200Kw power, entirely fulfil its needs. Solar panels have been installed on the plant roof ensuring zero environmental impact.







AUDIOKITS

8000 SERIES		PAGI
8K	(STANDARD 3+1 AUDIO)	8
8KC Digiphone	(STANDARD 3+1 AUDIO) (DIGITAL CODELOCK)	ç
IK8K Interkit	STANDARD 4+1 AUDIO (INTERCOMMUNICATING)	10
4000 SERIES 4K	STANDARD 3+1 AUDIO	1
4KC Digiphone	STANDARD 3+1 AUDIO CODELOCK UNIT	12
4KX Vproxphone	(STANDARD 3+1 AUDIO) (PROXIMITY READER)	13
GSM4K	GSM (PROXIMITY READER)	14
GSM4KC Digiphone	GSM (PROXIMITY READER) (CODELOCK UNIT)	15
LTGSM4K	GSM	16
LTGSM4KC Digiphone	(GSM) (CODELOCK UNIT)	17
GSMVRK	GSM (VANDAL RESISTANT)	18
GSMVRKC Digiphone	GSM (VANDAL RESISTANT) (CODELOCK UNIT)	19
VRK	(STANDARD 4+1 AUDIO) (VANDAL RESISTANT)	20
VRKC Digiphone	STANDARD 4+1 AUDIO VANDAL RESISTANT CODELOCK UNIT	2
SMART, MINI & SLIM SERIES SMK Smart Kit	STANDARD 3+1 AUDIO	22
ESK Easy Kit	(2 WIRE AUDIO)	23
MK Mini Kit	(STANDARD 4+1 AUDIO)	24
SI K Slim Kit	STANDARD 3+1 AUDIO	25

Part number composition

OUTDOOR STATION

AUDIOKIT

GSM NETWORK (ONLY GSM KITS)

CALL BUTTONS AND MOUNTING

FRONT PLATE FINISH

8K

/3G

n/a: GSM 2G

-1S

/A

8KC IK8K

4K 4KC

4KX GSM4K GSM4KC

LTGSM4K LTGSM4KC GSMVRK

GSMVRKC

VRK VRKC

SMK ESK MK /3G: GSM 3G

GSM 3G option is available only for:
GSM4K

GSM4KC LTGSM4K LTGSM4KC GSMVRK GSMVRKC -1: One way, flush

-1S: One way, surface

-2: Two ways, flush

-2S: Two ways, surface

Flush option is not available for **SLK** audiokit

-2 and **-2S** options are not available for **ESK** and **SLK** audiokits

8000 SERIES AUDIOKITS:

none: Mirror stainless steel

/A: Aluminium

4000 SERIES AUDIOKITS:

none: Mirror stainless steel /A: Anodized aluminium

/M: Matte

SMART AND MINI SERIES AUDIOKITS:

/A: Aluminium /G: Gold /W: White

Symbols legend

System connection



STANDARD 3+1 AUDIO



STANDARD 4+1 AUDIO



GSM



2 WIRE Audio Outdoor station features



Vandal resistant



Proximity reader



Codelock unit



Intercommunicating

Glossary

Busy LED	Advise that the system is busy i.e. multiple entrance system
Ring LED	Advise that the call is in progress
Speak LED	Advise that the conversation has started
Door open LED	Advise that the door is open
ON LED	Advise that the videophone is switched ON
Service button	A button used to enable an additional service, may require an additional connection
Privacy	Service that allows to temporarily disable the call
Intecommunicating call	Service to start an intercommunication
Camera recall	Service to power up the system and see the camera in stand by
Push to talk	Service to enable the "push to talk" communication mode
Push to exit	Active low input that enables the integral relay

SUPPORT FINISH

/BL

INDOOR STATION

INTERCOM MODEL

/3011

8000 SERIES AUDIOKITS:

none: Aluminium /BL: Black

4000 SERIES AUDIOKITS:


none: Embossed metallized gun metal grey

/AP: Aluminium Painted

Packaging guide

Colour explanation (depending on the kit version)

4K-1	4KC-1	4K-2
8K-1	8KC-1	8K-2
GSM4K	GSM4KC	
LTGSM4K	LTGSM4KC	
GSMVRK	GSMVRKC	



Outdoor station symbols explanation

4000 Series	4000 Series Vandal resistant	8000 Series	
Speaker unit (1 module)	Speaker unit (1 modules)	Speaker unit (1 module)	
Speaker unit plus access control (2 modules)	Speaker unit plus access control (2 modules)	Speaker unit plus access control (2 modules)	

8K Audiokit





	8K-1	8K-1S	8K-2	8K-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8836M-1 1 x 8836M-2			36M-2
CALL BUTTONS		1	2	2
DOOR OPENING		Built-in L	ock Relay	
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 8851	1 x 8881	1 x 8851	1 x 8881
PROTECTVE FRAME	1 x 8861	_	1 x 8861	_
RAINSHIELD OPT.1	8871	_	8871	_
Size	1 module			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011			8011
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS		1: Door open		
CONTROLS		Call tone volume (3 Levels)		
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA		230Vac / 12Vac / 15VA		
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING		DIN bar or dir	ect wall fixing	
PACKAGING		Gift	box	
Size	29x29.	5x7cm	40x29.	5x7cm
WEIGHT	1.4Kg	1.8Kg	1.7Kg	2.2Kg




¹ To be ordered separately



CONNECTION STANDARD 3+1 AUDIO	
OUTDOOR STATION 8000 Series	
SPEAKER UNIT MODULE 1 x 8836M-1 1 x 8836M-2	
CALL BUTTONS 1 2	
DOOR OPENING Built-in Lock Relay	
CALL Electronic Call Tone	
CODELOCK UNIT 1 x 8800	
CODES / RELAYS 2 / 2	
ILLUMINATION Yes	
MOUNTING BOX 1 x 8852 1 x 8882 1 x 8852 1	x 8882
PROTECTVE FRAME 1 x 8862 — 1 x 8862	_
RAINSHIELD OPT. ¹ 8872 — 8872	_
Size 2 modules	
MOUNTING Flush Surface Flush S	Surface
INDOOR STATION 1 x 3011 2 x 3011	
SERIES 3000 Series Smart Range	
CALL Electronic Call Tone	
BUTTONS 1: Door open	
Controls Call tone volume (3 Levels)	
Mounting Surface	
POWER SUPPLY UNIT 1 x 321	
INPUT/OUTPUT/VA 230Vac / 12Vac / 15VA	
SIZE 3 Modules A Type DIN Box (52.5x105x65mm)	
MOUNTING DIN bar or direct wall fixing	
PACKAGING Giftbox	
SIZE 29x29.5x7cm 40x29.5x7cm	
WEIGHT 2.1Kg 2.6Kg 2.8Kg	3.3Kg



¹ To be ordered separately



	IK8K-1	IK8K-1S	IK8K-2	IK8K-2S
CONNECTION	STANDARD 4+1 AUDIO			
OUTDOOR STATION	8000 Series			
SPEAKER UNIT MODULE	1 x 8836i-1 1 x 8836i-2			3361-2
CALL BUTTONS		1	2	2
DOOR OPENING		Built-in L	ock Relay	
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 8851	1 x 8881	1 x 8851	1 x 8881
PROTECTVE FRAME	1 x 8861	_	1 x 8861	_
RAINSHIELD OPT.1	8871	_	8871	_
SIZE	1 module			
Mounting	Flush	Surface	Flush	Surface
INDOOR STATION	2 x 3002			
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
Buttons	2: Door open, Service			
CONTROLS		Call tone volu	ıme (3 Levels)	
MOUNTING		Surf	face	
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			nm)
MOUNTING		DIN bar or dir	ect wall fixing	
PACKAGING		Gift	box	
SIZE		29x29.	5x7cm	
WEIGHT	2.1Kg	2.2Kg	2.1Kg	2.2Kg

SPECIAL FEATURES		
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement	

¹ To be ordered separately

4K Audiokit





	4K-1	4K-1S	4K-2	4K-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4836-1 1 x 4836-2			
CALL BUTTONS		1	2	2
DOOR OPENING		Built-in L	ock Relay	
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT.1	4871	4891	4871	4891
SIZE		1 mo	dule	
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011 2 x 3011			8011
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 Levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT		1 x :	321	
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			ım)
MOUNTING	DIN bar or direct wall fixing			
PACKAGING		Gift	box	
SIZE	29x29.	5x7cm	40x29.	5x7cm
WEIGHT	2Kg	2.3Kg	2.3Kg	2.6Kg



¹ To be ordered separately



	4KC-1	4KC-1S	4KC-2	4KC-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4836-1 1 x 4836-2			336-2
CALL BUTTONS		1	2	2
DOOR OPENING		Built-in L	ock Relay	
CALL		Electronic	Call Tone	
CODELOCK UNIT		1 x 4 8	300M	
CODES / RELAYS		3 /	/ 3	
ILLUMINATION		Ye	es	
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
Size	2 modules			
Mounting	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3011 2 x 3011			3011
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS		Call tone volu	ıme (3 Levels)	
MOUNTING	Surface			
POWER SUPPLY UNIT		1 x	321	
INPUT/OUTPUT/VA		230Vac / 12	2Vac / 15VA	
SIZE	3 M	odules A Type DIN	Box (52.5x105x65n	nm)
MOUNTING		DIN bar or dir	ect wall fixing	
PACKAGING		Gift	box	
SIZE	29x29.	5x7cm	40x29.	5x7cm
WEIGHT	2.4Kg	2.8Kg	2.7Kg	3.1Kg



¹ To be ordered separately



	4KX-1	4KX-1S	4KX-2	4KX-2S	
CONNECTION	STANDARD 3+1 AUDIO				
OUTDOOR STATION	4000 Series				
SPEAKER UNIT MODULE	1 x 4836-1 1 x 4836-2			336-2	
CALL BUTTONS		1	2	2	
DOOR OPENING		Built-in Loc	k Relay Dry		
CALL		Electronic	Call Tone		
PROXIMITY READER UNIT		1 x 4	850		
KEYS / RELAYS		Up to	100 / 1		
LED		Yes			
RFID FREQUENCY		125KHz			
FOBS	3 x 955/C d	ard format	6 x 955/C d	ard format	
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT.1	4872	4892	4872	4892	
Size	2 modules				
MOUNTING	Flush	Surface	Flush	Surface	
INDOOR STATION	1 x 3	3011	2 x 3	3011	
SERIES	3000 Series Smart Range				
CALL		Electronic	Call Tone		
BUTTONS		1: Doo	r open		
CONTROLS		Call tone volu	ıme (3 Levels)		
MOUNTING		Surf	face		
POWER SUPPLY UNIT		1 x	321		
INPUT/OUTPUT/VA		230Vac / 12	2Vac / 15VA		
Size	3 M	lodules A Type DIN	Box (52.5x105x65n	nm)	
MOUNTING		DIN bar or dir	ect wall fixing		
PACKAGING		Gift	box		
Size	29x29.	5x7cm	40x29.	5x7cm	
WEIGHT	2.9Kg	3.3Kg	3.2Kg	3.6Kg	

¹ To be ordered separately

GSM4K PRO GSM Audiokit

One way or two way GSM audiokit with integrated proximity access control









	GSM4K-1	GSM4K-1S	GSM4K-2	GSM4K-2S
CONNECTION		GSM 2	2G/3G	
OUTDOOR STATION		4000	Series	
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4810-1 1 x 4810-2			310-2
LEDS		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Вι	ıilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	: Call Tone	
KEYS / RELAYS		Up to 1	000 / 1	
RFID FREQUENCY	125KHz			
FOBS	3 x 955/T tag format			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT.1	4871	4891	4871	4891
Size	1 module			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 x 433			
Accessories	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING		Gift	box	
Size	29x29.5x7cm			
WEIGHT	1.2Kg 1.5Kg 1.2Kg 1.5Kg			

SPECIAL FEATURES	
CALL BUTTONS	Up to 50
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	Up to 1000 users
VOICE ANNUNCIATION	Yes
CALL PROGRESS LED'S	Yes, 4
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 2
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	RS-485, Micro-USB
TIMERANDS	Ves 1

¹ To be ordered separately



	GSM4KC-1	GSM4KC-1S	GSM4KC-2	GSM4KC-2S
CONNECTION		GSM 2	2G/3G	
OUTDOOR STATION	4000 Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4810-1 1 x 4810-2			310-2
LEDS		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1		2
DOOR OPENING	Вι	ıilt-in Lock Relay D	ry Contacts C, NC,	NO
CALL		Electronic	: Call Tone	
KEYS / RELAYS		Up to 1	000 / 1	
RFID FREQUENCY		125	KHz	
CODELOCK UNIT	1 x 4800M			
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852 1 x 4882 1 x 4852 1 :			
RAINSHIELD OPT.1	4872 4892 4872 4			
Size	2 modules			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 x 433			
Accessories		Connection cable	e, wall fix support	
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			
Mounting	DIN bar			
PACKAGING		Gift	box	
Size		29x29.	5x7cm	
WEIGHT	1.6Kg	2Kg	1.6Kg	2Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 50
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	Up to 1000 users
VOICE ANNUNCIATION	Yes
CALL PROGRESS LED'S	Yes, 4
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes, 1
AUXILIARY INPUT	Yes, 2
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 2
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12-24V ac/dc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	RS-485, Micro-USB
TIMEBANDS	Yes, 1

¹ To be ordered separately

LTGSM4K LITE GSM Audiokit

One way or two way GSM audiokit





	LTGSM4K-1	LTGSM4K-1S	LTGSM4K-2	LTGSM4K-2S
CONNECTION	GSM 2G/3G			
OUTDOOR STATION	4000 Series			
SPEAKER UNIT MODULE	1 x 4	811-1	1 x 4 8	311-2
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	OV
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT.1	4871	4891	4871	4891
SIZE	1 module			
Mounting	Flush Surface Flush Surfa			
ANTENNA	1 x 433			
Accessories	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/A	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			n)
MOUNTING	DIN bar			
PACKAGING	Giftbox			
SIZE	29x29.5x7cm			
WEIGHT	1.1Kg 1.4Kg 1.4Kg			1.4Kg

CALL BUTTONS Up to 4 TELEPHONE NUMBERS PER BUTTON 2 DIAL TO OPEN NUMBERS 100 INTEGRATED PROXIMITY ACCESS None VOICE ANNUNCIATION None	
DIAL TO OPEN NUMBERS 100 INTEGRATED PROXIMITY ACCESS None	
INTEGRATED PROXIMITY ACCESS None	
ACCESS	
VOICE ANNUNCIATION None	
TOTAL PROTECTION	
CALL PROGRESS LED'S None	
PROGRAMMING SMS	
PUSH TO EXIT INPUT Yes, 1	
AUXILIARY INPUT Yes, 2	
AUXILIARY OPEN COLLECTOR OUTPUTS Yes, 1	
LOCK OUTPUT Dry contact relay	
INPUT VOLTAGE 12-24V ac/dc	
EVENT LOG None	
BOOTLOADER None	
Interfaces None	
TIMEBANDS None	

¹ To be ordered separately



	LTGSM4KC-1	LTGSM4KC-1S	LTGSM4KC-2	LTGSM4KC-2S
CONNECTION	GSM 2G/3G			
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4	811-1	1 x 4	811-2
CALL BUTTONS		1		2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC,	NO
CALL		Electronic	: Call Tone	
CODELOCK UNIT		1 x 4 8	воом	
CODES / RELAYS	3 / 3			
ILLUMINATION	Yes			
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT. ¹	4872	4892	4872	4892
Size	2 modules			
Mounting	Flush Surface Flush Surface			
ANTENNA	1 x 433			
Accessories	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
Size	1.5 Module A Type DIN Box (25x93x56mm)			m)
MOUNTING	DIN bar			
PACKAGING		Giftbox		
SIZE	29x29.5x7cm			
WEIGHT	1.5Kg 1.5Kg 1.9Kg 1.9Kg			

CALL BUTTONS TELEPHONE NUMBERS PER BUTTON DIAL TO OPEN NUMBERS 100 INTEGRATED PROXIMITY ACCESS VOICE ANNUNCIATION CALL PROGRESS LED'S PROGRAMMING PUSH TO EXIT INPUT AUXILIARY INPUT AUXILIARY OPEN COLLECTOR OUTPUTS LOCK OUTPUT INPUT VOLTAGE EVENT LOG BOOTLOADER None TIMEBANDS 100 NONE 2 NONE NONE 100 100 100 100 100 100 100 1	SPECIAL FEATURES	
BUTTON DIAL TO OPEN NUMBERS INTEGRATED PROXIMITY ACCESS VOICE ANNUNCIATION CALL PROGRESS LED'S None PROGRAMMING SMS PUSH TO EXIT INPUT AUXILIARY INPUT AUXILIARY OPEN COLLECTOR OUTPUTS LOCK OUTPUT INPUT VOLTAGE EVENT LOG BOOTLOADER None INTERFACES 100 None	CALL BUTTONS	Up to 4
INTEGRATED PROXIMITY ACCESS VOICE ANNUNCIATION CALL PROGRESS LED'S None PROGRAMMING SMS PUSH TO EXIT INPUT AUXILIARY INPUT AUXILIARY OPEN COLLECTOR OUTPUTS LOCK OUTPUT INPUT VOLTAGE EVENT LOG BOOTLOADER None INTERFACES None		2
VOICE ANNUNCIATION CALL PROGRESS LED'S None PROGRAMMING SMS PUSH TO EXIT INPUT AUXILIARY INPUT AUXILIARY OPEN COLLECTOR OUTPUTS LOCK OUTPUT INPUT VOLTAGE EVENT LOG BOOTLOADER None None INTERFACES	DIAL TO OPEN NUMBERS	100
CALL PROGRESS LED'S None PROGRAMMING SMS PUSH TO EXIT INPUT Yes, 1 AUXILIARY INPUT Yes, 2 AUXILIARY OPEN COLLECTOR Yes, 1 LOCK OUTPUT Dry contact relay INPUT VOLTAGE 12-24V ac/dc EVENT LOG None BOOTLOADER None INTERFACES None		None
PROGRAMMING SMS PUSH TO EXIT INPUT Yes, 1 AUXILIARY INPUT Yes, 2 AUXILIARY OPEN COLLECTOR Yes, 1 LOCK OUTPUT Dry contact relay INPUT VOLTAGE 12-24V ac/dc EVENT LOG None BOOTLOADER None INTERFACES None	VOICE ANNUNCIATION	None
PUSH TO EXIT INPUT Yes, 1	CALL PROGRESS LED'S	None
AUXILIARY INPUT AUXILIARY OPEN COLLECTOR OUTPUTS LOCK OUTPUT INPUT VOLTAGE EVENT LOG BOOTLOADER INTERFACES Yes, 1 Yes, 2 Yes, 1 Yes, 2 Yes, 1 Yes, 2 Yes, 1 None Interfaces None	PROGRAMMING	SMS
AUXILIARY OPEN COLLECTOR OUTPUTS LOCK OUTPUT Dry contact relay INPUT VOLTAGE 12-24V ac/dc EVENT LOG None BOOTLOADER None INTERFACES None	PUSH TO EXIT INPUT	Yes, 1
OUTPUTS LOCK OUTPUT Dry contact relay INPUT VOLTAGE 12-24V ac/dc EVENT LOG BOOTLOADER INTERFACES None	AUXILIARY INPUT	Yes, 2
INPUT VOLTAGE 12-24V ac/dc EVENT LOG None BOOTLOADER None INTERFACES None		Yes, 1
EVENT LOG None BOOTLOADER None INTERFACES None	LOCK О ИТРИТ	Dry contact relay
BOOTLOADER None INTERFACES None	INPUT VOLTAGE	12-24V ac/dc
INTERFACES None	EVENT LOG	None
	BOOTLOADER	None
TIMEBANDS None	INTERFACES	None
	TIMEBANDS	None

¹ To be ordered separately

GSMVRK GSM VR Audiokit

One way or two way GSM vandal resistant audiokit





GSM





	GSMVRK-1	GSMVRK-1S	GSMVRK-2	GSMVRK-2S
CONNECTION		GSM 2	2G/3G	
OUTDOOR STATION		4000 Series Va	ndal Resistant	
SPEAKER UNIT MODULE	1 x VR4	KGSM-1	1 x VR4	KGSM-2
LEDS		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT.1	4871	4891	4871	4891
Size	1 module			
MOUNTING	Flush	Surface	Flush	Surface
ANTENNA	1 x 433			
Accessories	Connection cable, wall fix support			
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
Size	1.5 Module A Type DIN Box (25x93x56mm)			
MOUNTING	DIN bar			
PACKAGING	Giftbox			
Size	29x29.5x7cm			
WEIGHT	1.3Kg 1.6Kg 1.3Kg 1.6Kg			

SPECIAL FEATURES	
CALL BUTTONS	Up to 24
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	Yes
PROGRAMMING	SMS/USB
PUSH TO EXIT INPUT	Yes
AUXILIARY INPUT	Yes, 1
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12Vdc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	Micro-USB
TIMEBANDS	Yes, 1

¹ To be ordered separately



	GSMVRKC-1	GSMVRKC-1S	GSMVRKC-2	GSMVRKC-2S
CONNECTION	GSM 2G/3G			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR4	KGSM-1	1 x VR4	KGSM-2
LEDS		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	Call Tone	
CODELOCK UNIT	1 x VR4KCLM-1			
CODES / RELAYS	2/2			
ILLUMINATION	No			
MOUNTING BOX	1 x 4852 1 x 4882 1 x 4852 1 x 4			
RAINSHIELD OPT.1	4872 4892 4872 48			
SIZE	2 modules			
MOUNTING	Flush Surface Flush Surfa			
ANTENNA	1 x 433			
Accessories		Connection cable	, wall fix support	
POWER SUPPLY UNIT	1 x DR-15-12			
INPUT/OUTPUT/VA	230Vac / 12Vdc / 1.25A			
SIZE	1.5 Module A Type DIN Box (25x93x56mm)			m)
Mounting	DIN bar			
PACKAGING	Giftbox			
Size	29x29.5x7cm			
WEIGHT	2Kg 2.3Kg 2Kg 2.3Kg			2.3Kg

SPECIAL FEATURES	
CALL BUTTONS	Up to 24
TELEPHONE NUMBERS PER BUTTON	4
DIAL TO OPEN NUMBERS	1000
INTEGRATED PROXIMITY ACCESS	None
VOICE ANNUNCIATION	None
CALL PROGRESS LED'S	Yes
Programming	SMS/USB
PUSH TO EXIT INPUT	Yes
AUXILIARY INPUT	Yes, 1
AUXILIARY OPEN COLLECTOR OUTPUTS	Yes, 1
LOCK О ИТРИТ	Dry contact relay
INPUT VOLTAGE	12Vdc
EVENT LOG	Yes, 4000 events
BOOTLOADER	Yes
INTERFACES	Micro-USB

TIMEBANDS

Yes, 1

¹ To be ordered separately

VRK Audiokit One way or two way vandal resistant audiokit STANDARD Vandal resistant The property of the pro

	1	1	ı	ı
	VRK-1	VRK-1S	VRK-2	VRK-2S
CONNECTION		STANDARD	4+1 AUDIO	
OUTDOOR STATION		4000 Series Va	ndal Resistant	
SPEAKER UNIT MODULE	1 x VR 4	KAM-1	1 x VR4	KAM-2
LEDs		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	ilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	Call Tone	
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT.1	4871	4891	4871	4891
SIZE	1 module			
MOUNTING	Flush	Surface	Flush	Surface
INDOOR STATION	1 x 3111 2 x 3111			
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	2: Door open, Service			
CONTROLS	Call tone volume (3 levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 520M			
INPUT/OUTPUTS/VA	230Vac / 12Vdc - 8Vdc - 13Vac / 13VA			
Size	8 Modules A Type DIN Box (140x65x105mmmm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
Size	29x29.5x7cm			
WEIGHT	2.1Kg 2.4Kg 2.4Kg 2.8Kg			

¹ To be ordered separately




	VRKC-1	VRKC-1S	VRKC-2	VRKC-2S
CONNECTION	STANDARD 4+1 AUDIO			
OUTDOOR STATION	4000 Series Vandal Resistant			
SPEAKER UNIT MODULE	1 x VR 4	4KAM-1	1 x VR4KAM-2	
LEDs		3: Speak, Bus	y, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Bu	iilt-in Lock Relay D	ry Contacts C, NC, I	NO
CALL		Electronic	Call Tone	
CODELOCK UNIT		1 x VR4	KCLM-1	
CODES / RELAYS		2 /	1 2	
ILLUMINATION		N	0	
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882
RAINSHIELD OPT.1	4872	4892	4872	4892
SIZE	2 modules			
MOUNTING	Flush Surface Flush Su			
INDOOR STATION	1 x 3111 2 x 3111			3111
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	2: Door open, Service			
CONTROLS	Call tone volume (3 levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 520M			
INPUT/OUTPUTS/VA	230Vac / 12Vdc - 8Vdc - 13Vac / 13VA			
SIZE	8 Modules A Type DIN Box (140x65x105mmmm)			
Mounting		DIN bar or dir	ect wall fixing	
PACKAGING		Gift	box	
Size	40x29.5x7cm			
WEIGHT	3Kg	3.5Kg	3.3Kg	3.8Kg

¹ To be ordered separately

SMK SMART Audiokit





	SMK-1	SMK-1S	SMK-2	SMK-2S
CONNECTION	STANDARD 3+1 AUDIO			
OUTDOOR STATION	SMART Series			
SPEAKER UNIT	1 x 336E-1	1 x 336E-1S	1 x 336E-2	1 x 336E-2S
CALL BUTTONS		1	1	2
DOOR OPENING		Built-in L	ock Relay	
CALL		Electronic	Call Tone	
MOUNTING	Flush	Surface	Flush	Surface
COVERING FRAME OPT. ¹	371	_	371	_
SURFACE MOUNTING BOX OPT.1	381	_	381	_
INDOOR STATION	1 x 3011 2 x 3011		3011	
SERIES	3000 Series Smart Range			
CALL	Electronic Call Tone			
BUTTONS	1: Door open			
CONTROLS	Call tone volume (3 levels)			
MOUNTING	Surface			
POWER SUPPLY UNIT	1 x 321			
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA			
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
Size	29x29.5x7cm 40x29.5x7cm			5x7cm
WEIGHT	1.3Kg 1.5Kg 1.7Kg 1.9Kg			



¹ To be ordered separately

ESK EASY TWO WIRE Audiokit

One way only






	ESK-1	ESK-1S	
CONNECTION	2 WIRE AUDIO		
OUTDOOR STATION	SMART Series		
SPEAKER UNIT	1 x 332	1 x 332S	
CALL BUTTONS		1	
DOOR OPENING	Built-in L	ock Relay	
CALL	Electronic	Call Tone	
MOUNTING	Flush	Surface	
COVERING FRAME OPT. ¹	371	_	
SURFACE MOUNTING BOX OPT.1	381	_	
INDOOR STATION	1 x 3151		
SERIES	3000 Series Smart Range		
CALL	Electronic Call Tone		
BUTTONS	2: Door open, Service		
CONTROLS	Call tone volume (3 levels)		
Mounting	Surface		
POWER SUPPLY UNIT	1 x 321		
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA		
Size	3 Modules A Type DIN Box (52.5x105x65mm)		
MOUNTING	DIN bar or direct wall fixing		
PACKAGING	Giftbox		
Size	29x29.5x7cm		
WEIGHT	1.3Kg 1.5Kg		



MK MINI Audiokit





	MK-1 MK-2		
CONNECTION	STANDARD 4+1 AUDIO		
OUTDOOR STATION	Minis	Series	
SPEAKER UNIT	1 x DU-1A	1 x DU-2A	
CALL BUTTONS	1	2	
DOOR OPENING	Built-in L	ock Relay	
CALL	Electronic	Call Tone	
MOUNTING	Flu Surface (req	ush uire SMB-M ¹)	
INDOOR STATION	1 x 3021 2 x 3021		
SERIES	3000 Series Smart Range		
CALL	Electronic Call Tone		
BUTTONS	1: Door open		
CONTROLS	Call tone volume (3 levels)		
MOUNTING	Surface		
POWER SUPPLY UNIT	1 x 321		
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA		
Size	3 Modules A Type DIN Box (52.5x105x65mm)		
MOUNTING	DIN bar or direct wall fixing		
PACKAGING	Giftbox		
SIZE	25.5x23.5x6.5cm	29x29.5x7cm	
WEIGHT	1.3Kg	1.6Kg	




¹ To be ordered separately

SLK SLIM Audiokit

One way only



WVIDEX°



	SLK	
CONNECTION	STANDARD 3+1 AUDIO	
OUTDOOR STATION	Slim Series	
SPEAKER UNIT	1 x 436	
CALL BUTTONS	1	
DOOR OPENING	Built-in Lock Relay	
CALL	Electronic Call Tone	
MOUNTING	Surface	
INDOOR STATION	1 x 3011	
SERIES	3000 Series Smart Range	
CALL	Electronic Call Tone	
BUTTONS	1: Door open	
CONTROLS	Call tone volume (3 levels)	
MOUNTING	Surface	
POWER SUPPLY UNIT	1 x 321	
INPUT/OUTPUT/VA	230Vac / 12Vac / 15VA	
SIZE	3 Modules A Type DIN Box (52.5x105x65mm)	
MOUNTING	DIN bar or direct wall fixing	
PACKAGING	Giftbox	
SIZE	25.5x23.5x7cm	
WEIGHT	1.5Kg	












3000 SERIES		PAGE
VK8K	6 WIRE BUS (INTERCOMMUNICATING)	30
VK8KC Videocode	(6 WIRE BUS) (CODELOCK UNIT) (INTERCOMMUNICATING)	32
4000 SERIES		
VK4K	(6 WIRE BUS) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	34
VK4KC Videocode	(6 WIRE BUS) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	36
VK4KX	(6 WIRE BUS) (PROXIMITY READER) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	38
VRVK	(6 WIRE BUS) (VANDAL RESISTANT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	40
VRVKC Videocode	(6 WIRE BUS) (VANDAL RESISTANT) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	42
ESVK	(2 WIRE BUS) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	44
ESVKC Videocode	(2 WIRE BUS) (CODELOCK UNIT) (INTERCOMMUNICATING) (WIDE CAMERA OPT.)	48
ESVKX	2 WIRE BUS PROXIMITY READER INTERCOMMUNICATING WIDE CAMERA OPT.	52

Part number composition



Symbols legend

System connection



6 WIRE BUS



2 WIRE BUS



ΙP

Outdoor station features



Vandal resistant



Proximity reader



Codelock unit



Intercommunicating



Glossary

Busy LED Advise that the system is busy i.e. multiple entrance system	
Ring LED	Advise that the call is in progress
Speak LED	Advise that the conversation has started
Door open LED	Advise that the door is open
ON LED	Advise that the videophone is switched ON
Service button	A button used to enable an additional service, may require an additional connection
Privacy	Service that allows to temporarily disable the call
Intecommunicating call	Service to start an intercommunication
Camera recall	Service to power up the system and see the camera in stand by
Push to talk	Service to enable the "push to talk" communication mode
Push to exit	Active low input that enables the integral relay

INDOOR STATION

VIDEOPHONE MODEL

KRV782

VIDEOPHONE FINISHING

VIDEO MEMORY

6000 SERIES:

/6256 for videokits: /6358 VK4K - VK4KC - VK4KX VRVK - VRVK /6458 VK8K - VK8KC /6758 /6286

/6388 for videokits: /6488 ESVK - ESVKC - ESVKX /6788

KRISTALLO® SERIES:

/KRV86 /KRV88 /KRV782

for videokits: ESVK - ESVKC - ESVKX

5000 - 3600 SERIES:

/5456 for videokits:

VK4K - VK4KC - VK4KX /3656 VRVK - VRVK

VK8K - VK8KC

/3686 for videokits:

ESVK - ESVKC - ESVKX

6300/6700 SERIES:

none: Satin white (standard)

/B: Black Rubber

KRISTALLO® SERIES:

/W: White /B: Black

5000 SERIES:

none: Gloss white (standard)

/CR: Silver

/CA: Carbon fibre effect

Videophones with memory board facility allow, either automatically or manually, to record a picture (or a videoclip, depending on the model) of the visitor who calls. Thanks to the ability to record

several images or video clips (the numer depends on the model), this facility helps to ensure the safety of the users by knowing who has called.

The memory board must be requested when ordering a video phone, as it cannot be added later.

Not available for **3656** and **3686** videophones

Packaging guide

Colour explanation (depending on the indoor station)

6200	6300	6400	6700
Kristallo® 3.5" Handset	Kristallo® 3.5" Hands free		Kristallo® 7"
3600	5000		

Outdoor station symbols explanation

4000 Series	4000 Series Vandal resistant	8000 Series
Camera/speaker unit (1 module)	Camera unit and speaker unit (2 modules)	Camera/speaker unit (1 module)
Camera/speaker unit plus access control (2 modules)	Camera unit, speaker unit plus access control (3 modules)	Camera/speaker unit plus access control (2 modules)
Camera/speaker unit with integrated proximity access control (1 module)		



VK8K Series Videokit






6 WIRE Intercon



	VK8K-1	VK8K-1S	VK8K-2	VK8K-2S
CONNECTION		6 WIR	E BUS	
OUTDOOR STATION		8000	Series	
SPEAKER UNIT MODULE	1 x 8	833-1	1 x 8 8	833-2
CAMERA TYPE	Day/Night	colour camera wit	th infrared illumin	ation LEDs
WIDE CAMERA OPT.		Not av	ailable	
CALL BUTTONS		1		2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			itor discharge
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 8855 1 x 8885 1 x 8855 1 x 8		1 x 8885	
RAINSHIELD	1 x 8875	_	1 x 8875	_
SIZE	1.5 module			
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 8	50K	2 x 8	350K
INPUT/OUTPUT/VA		230-127Vac /	24Vac / 24VA	
SIZE	5 Modules A Type DIN Box (87x105x65mm)			m)
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	- 1 x 316N			316N
PACKAGING	Giftbox			
SIZE	31x17x13cm 25.3x24.4x18.3cm			4x18.3cm

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening







VK8K-1/6256	VK8K-1S/6256	VK8K-2/6256	VK8K-2S/6256
1 x (5256	2 x (5256
	6200 5	Series	
	3.5" Hi-Res co	olour LCD TFT	
	Han	dset	
4: Service, Camer	a recall, Door-ope	n/Intercommunic	ating call, Privacy
2: Door open, Privacy ON			
Yes, up to 100 pictures stored in built in memory			
Call tone volume, Hue, Contrast, Brightness			
Privacy duration, Number of rings, Intercommunicating call			
Surface			
Satin white			
62931			
3.1Kg	3.6Kg	4.3Kg	4.8Kg
	4: Service, Camer Yes, u Call Privacy dur	1 x 6256 6200 : 3.5" Hi-Res co Han 4: Service, Camera recall, Door-ope 2: Door oper Yes, up to 100 pictures s Call tone volume, Hue Privacy duration, Number of r Suri Satin 62:	1 x 6256 2 x 6 6200 Series 3.5" Hi-Res colour LCD TFT Handset 4: Service, Camera recall, Door-open/Intercommunic 2: Door open, Privacy ON Yes, up to 100 pictures stored in built in m Call tone volume, Hue, Contrast, Brightr Privacy duration, Number of rings, Intercommunic Surface Satin white 62931

6358 3.5" hands free videomonitor

6-6



	VK8K-1/6358	VK8K-1S/6358	VK8K-2/6358	VK8K-2S/6358
INDOOR STATION	1 x 6	5358	2 x (5358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3:	Door open, Priva	cy ON, Conversatio	on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			t, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

6458 4.3" hands free videomonitor





	VK8K-1/6458	VK8K-1S/6458	VK8K-2/6458	VK8K-2S/6458
INDOOR STATION	1 x 6	i458	2 x (6458
SERIES		6400 5	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3Kg 3.5Kg 4Kg 4.6Kg			

7" hands free videomonitor







	VK8K-1/6758	VK8K-1S/6758	VK8K-2/6758	VK8K-2S/6758
INDOOR STATION	1 x 6	5758	2 x (5758
SERIES		6700 9	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3:	Door open, Privac	cy ON, Conversatio	on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
Mounting	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.1Kg	3.6Kg	4.4Kg	4.9Kg

¹ A button can have multiple functions ² To be ordered separately

VK8KC Series Videocode

One way or two way videokit with codelock







6 WIRE BUS

Codelock Intercom. unit



	VK8KC-1	VK8KC-1S	VK8KC-2	VK8KC-2S
CONNECTION		6 WIR	E BUS	
OUTDOOR STATION		8000	Series	
SPEAKER UNIT MODULE	1 x 8	833-1	1 x 8 8	333-2
CAMERA TYPE	Day/Night	colour camera wi	th infrared illumina	ation LEDs
WIDE CAMERA OPT.		Not av	ailable	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge
CALL		Electronic	Call Tone	
CODELOCK UNIT		1 x 8	8800	
CODES / RELAYS	2 / 2			
ILLUMINATION		Ye	es	
MOUNTING BOX	1 x 8857	1 x 8887	1 x 8857	1 x 8887
RAINSHIELD	1 x 8877	_	1 x 8877	_
SIZE		2.5 mg	odules	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 8	350K	2 x 8	50K
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
Size	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	- 1 x 316N			16N
PACKAGING	Giftbox			
Size	41.5x1	7x15cm	18x24	x54cm

SPECIAL FEATURES	
Max Door Stations	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

6256 3.5" conventional videophone





	VK8KC-1/6256	VK8KC-1S/6256	VK8KC-2/6256	VK8KC-2S/6256
INDOOR STATION	1 x 6	5256	2 x (5256
SERIES		6200 9	Series	
DISPLAY		3.5" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
Mounting	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.5Kg	4Kg	4.7Kg	5.2Kg

6358 3.5" hands free videomonitor



	VK8KC-1/6358	VK8KC-1S/6358	VK8KC-2/6358	VK8KC-2S/6358
INDOOR STATION	1 x 6	5358	2 x (5358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
Mounting	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3.4Kg	3.9Kg	4.5Kg	5Kg

6458 4.3" hands free videomonitor





	VK8KC-1/6458	VK8KC-1S/6458	VK8KC-2/6458	VK8KC-2S/6458
INDOOR STATION	1 x 6458 2 x 6458			6458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
Programming	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3.4Kg	3.9Kg	4.5Kg	5Kg

7" hands free videomonitor







	VK8KC-1/6758	VK8KC-1S/6758	VK8KC-2/6758	VK8KC-2S/6758
INDOOR STATION	1 x (5758	2 x 6758	
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3:	Door open, Priva	cy ON, Conversatio	n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.5Kg	4Kg	4.8Kg	5.3Kg

¹ A button can have multiple functions ² To be ordered separately

VK4K Series Videokit







6 WIRE BUS

Intercom. Wide camera



	VK4K-1	VK4K-1S	VK4K-2	VK4K-2S
CONNECTION		6 WIR	E BUS	
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4 9	833-1	1 x 48	333-2
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs
WIDE CAMERA OPT.		Avai	lable	
LEDs		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			itor discharge
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE		1 mc	dule	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 8	350K	2 x 8	50K
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA			
Size	5 Modules A Type DIN Box (87x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
VIDEO DISTRIBUTOR	- 1 x 316N			
PACKAGING	Giftbox			
Size	31x17	x13cm	25.3x24.4	x18.3cm

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

6256

3.5" conventional videophone





	VK4K-1/6256	VK4K-1S/6256	VK4K-2/6256	VK4K-2S/6256
INDOOR STATION	1 x 6256		2 x 6256	
SERIES		6200	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE	Handset			
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

6358

3.5" hands free videomonitor



	VK4K-1/6358	VK4K-1S/6358	VK4K-2/6358	VK4K-2S/6358
INDOOR STATION	1 x 6358		2 x 6358	
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.3Kg 2.6Kg 3.4Kg 3.7Kg			3.7Kg

6458

4.3" hands free videomonitor





	VK4K-1/6458	VK4K-1S/6458	VK4K-2/6458	VK4K-2S/6458
INDOOR STATION	1 x 6458		2 x 6458	
SERIES	6400 Series			
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.6Kg	3.8Kg

7" hands free videomonitor







	VK4K-1/6758	VK4K-1S/6758	VK4K-2/6758	VK4K-2S/6758
INDOOR STATION	1 x 6758		2 x 6758	
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE	Hands free			
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

¹ A button can have multiple functions ² To be ordered separately

VK4KC Series Videocode

One way or two way videokit with codelock









Codelock unit

Intercom. Wide camera



	VK4KC-1	VK4KC-1S	VK4KC-2	VK4KC-2S	
CONNECTION	6 WIRE BUS				
OUTDOOR STATION	4000 Series				
SPEAKER UNIT MODULE	1 x 4	833-1	1 x 4833-2		
CAMERA TYPE	Colou	r camera with whit	te light illumination LEDs		
WIDE CAMERA OPT.		Avai	lable		
LEDs		4: Busy, Ring, Sp	oeak, Door Open		
CALL BUTTONS		1	2		
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge				
CALL	Electronic Call Tone				
CODELOCK UNIT	1 x 4800M				
CODES / RELAYS	3 / 3				
ILLUMINATION	Yes				
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT. ²	4872	4892	4872	4892	
SIZE	2 modules		dules		
Mounting	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT	1 x 850K		2 x 850K		
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA				
SIZE	5 Modules A Type DIN Box (87x105x65mm)				
MOUNTING	DIN bar or direct wall fixing				
VIDEO DISTRIBUTOR	_		1 x 316N		
PACKAGING	Giftbox				
Size	41.5x17x15cm		18x24x54cm		

SPECIAL FEATURES		
MAX DOOR STATIONS	Up to 4	
Max Indoor Stations	Up to 4 per call button	
DISABILITY FRIENDLY	Yes, acoustic & visual signalling	
CAMERA RECALL	Yes, selective on multiple door station system	
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement	
LOCAL BELL	Yes with different call tone from external call	
PRIVACY	Yes to temporarily disable the call	
PUSH TO EXIT INPUT	Yes, 1	
PROGRAMMABLE TIMES	Conversation and Door Opening	

6256 3.5" conventional videophone





	VK4KC-1/6256	VK4KC-1S/6256	VK4KC-2/6256	VK4KC-2S/6256
INDOOR STATION	1 x (5256	2 x (5256
SERIES		6200 5	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			ating call, Privacy
LEDS		2: Door oper	, Privacy ON	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
Programming	Privacy duration, Number of rings, Intercommunicating call			nicating call
Mounting	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.7Kg

6358 3.5" hands free videomonitor

6-6



	VK4KC-1/6358	VK4KC-1S/6358	VK4KC-2/6358	VK4KC-2S/6358
INDOOR STATION	1 x (5358	2 x (6358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg

6458 4.3" hands free videomonitor





	VK4KC-1/6458	VK4KC-1S/6458	VK4KC-2/6458	VK4KC-2S/6458	
INDOOR STATION	1x(1 x 6458		2 x 6458	
SERIES		6400	Series		
DISPLAY		4.3" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹		4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, u	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone vo	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration,	Privacy duration, Melody type, Number of rings, Intercommunicating call			
Mounting	Surface				
FINISHING	Satin white				
DESKTOP KIT OPT. ²	64931				
PACKAGING WEIGHT	3Kg	3.5Kg	4Kg	4.6Kg	





	VK4KC-1/6758	VK4KC-1S/6758	VK4KC-2/6758	VK4KC-2S/6758	
INDOOR STATION	1 x (6758	2 x (6758	
SERIES		6700 5	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free	_	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation			n	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
Mounting	Surface				
FINISHING	Satin white (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.9Kg	

¹A button can have multiple functions ²To be ordered separately

VK4KX Series Videokit

One way or two way videokit with integrated proximity access control









IRE Proximit IS reader

Intercom. Wide camera opt.



	VK4KX-1	VK4KX-1S	VK4KX-2	VK4KX-2S	
CONNECTION		6 WIR	E BUS		
OUTDOOR STATION		4000	Series		
SPEAKER AND PROXIMITY UNIT MODULE	1 x 48	333X-1	1 x 48	33X-2	
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs	
WIDE CAMERA OPT.		Avai	lable		
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock I	Relay Dry Contacts	C, NC, NO or capac	itor discharge	
CALL		Electronic Call Tone			
KEYS / RELAYS	Up to 30 / 1				
RFID FREQUENCY	125KHz				
Fobs		ard format tag format	1 x 955/C c 4 x 955/T t		
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881	
RAINSHIELD OPT. ²	4871	4891	4871	4891	
Size		1 mc	dule		
Mounting	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT	1 x 850K 2 x 850K			50K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA				
SIZE	5 Modules A Type DIN Box (87x105x65mm)				
MOUNTING	DIN bar or direct wall fixing				
PACKAGING		Gift	box		
Size	31x17	x13cm	25.3x24.4	x18.3cm	

SPECIAL FEATURES	
Max Door Stations	Up to 4
Max Indoor Stations	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 30 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

6256 3.5" conventional videophone





	VK4KX-1/6256	VK4KX-1S/6256	VK4KX-2/6256	VK4KX-2S/6256
INDOOR STATION	1 x (5256	2 x 6256	
SERIES		6200 5	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

6358

6-6

3.5" hands free videomonitor



	VK4KX-1/6358	VK4KX-1S/6358	VK4KX-2/6358	VK4KX-2S/6358
INDOOR STATION	1x (5358	2 x (5358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	2.3Kg	2.6Kg	3.4Kg	3.7Kg

6458

4.3" hands free videomonitor





	VK4KX-1/6458	VK4KX-1S/6458	VK4KX-2/6458	VK4KX-2S/6458
INDOOR STATION	1 x (5458	2 x (6458
SERIES		6400	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.6Kg	3.8Kg

5758

7" hands free videomonitor







	VK4KX-1/6758	VK4KX-1S/6758	VK4KX-2/6758	VK4KX-2S/6758
INDOOR STATION	1 x 6	5758	2 x 6758	
SERIES		6700 5	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			n
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	3.7Kg	3.9Kg

¹ A button can have multiple functions ² To be ordered separately

VRVK Series Videokit

One way or two way









Vandal resistant

Intercom. Wide camera



	VRVK-1	VRVK-1S	VRVK-2	VRVK-2S	
CONNECTION	6 WIRE BUS				
OUTDOOR STATION		4000 Series Va	andal resistant		
CAMERA MODULE		1 x VR	4KCMC		
CAMERA TYPE	Day/Night	colour camera wi	th infrared illumina	ation LEDs	
WIDE CAMERA OPT.		Avai	lable		
SPEAKER UNIT MODULE	1 x VR4	KAMK-1	1 x VR4	KAMK-2	
LEDS		3: Speak, Bus	sy, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge				
CALL		Electronic	Call Tone		
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT. ²	4872	4872 4892		4892	
SIZE		2 mo	dules		
MOUNTING	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT	1 x 8	350K	2 x 8	350K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA				
Size	5 Modules A Type DIN Box (87x105x65mm)			m)	
MOUNTING	DIN bar or direct wall fixing				
VIDEO DISTRIBUTOR	- 1 x 316N			316N	
PACKAGING		Gift	box		
SIZE	31x17	x13cm	25.3x24.4	4x18.3cm	

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening
VANDAL RESISTANT	IK Rate 07

6256 3.5" conventional videophone





	VRVK-1/6256	VRVK-1S/6256	VRVK-2/6256	VRVK-2S/6256
INDOOR STATION	1 x (5256	2 x 6256	
SERIES		6200 9	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Han	dset	
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy			ating call, Privacy
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	62931			
PACKAGING WEIGHT	3.2Kg	3.6Kg	4.5Kg	4.9Kg

6358 3.5" hands free videomonitor

6-6



	VRVK-1/6358	VRVK-1S/6358	VRVK-2/6358	VRVK-2S/6358
INDOOR STATION	1 x 6	5358	2 x (5358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
Mounting	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3Kg	3.5Kg	4.2Kg	4.7Kg

6458 4.3" hands free videomonitor





	VRVK-1/6458	VRVK-1S/6458	VRVK-2/6458	VRVK-2S/6458
INDOOR STATION	1 x 6	6458	2 x (6458
SERIES		6400 5	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			emory
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
Mounting	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	3.2Kg	3.6Kg	4.4Kg	4.8Kg







	VRVK-1/6758	VRVK-1S/6758	VRVK-2/6758	VRVK-2S/6758
INDOOR STATION	1 x 6	5758	2 x 6	5758
SERIES		6700	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	3.3Kg	3.7Kg	4.5Kg	4.9Kg

¹ A button can have multiple functions ² To be ordered separately

VRVKC Series Videocode

One way or two way videokit with codelock















	VRVKC-1	VRVKC-1S	VRVKC-2	VRVKC-2S	
CONNECTION		6 WIR	E BUS		
OUTDOOR STATION		4000 Series Va	ındal resistant		
CAMERA MODULE		1 x VR 4	4KCMC		
CAMERA TYPE	Day/Night	colour camera wi	th infrared illumin	ation LEDs	
WIDE CAMERA OPT.		Avai	able		
SPEAKER UNIT MODULE	1 x VR4	KAMK-1	1 x VR4	КАМК-2	
LEDS		3: Speak, Bus	y, Door Open		
CALL BUTTONS		1	:	2	
DOOR OPENING	Built-in Lock F	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			
CALL	Electronic Call Tone				
CODELOCK UNIT	1 x VR4KCLM				
CODES / RELAYS	2 / 2				
ILLUMINATION	No				
MOUNTING BOX	1 x 4853	1 x 4883	1 x 4853	1 x 4883	
RAINSHIELD OPT. ²	4873	4893	4873	4893	
Size		3 mo	dules		
Mounting	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT	1 x 850K 2 x 850K			350K	
INPUT/OUTPUT/VA	230-127Vac / 24Vac / 24VA				
Size	5 Modules A Type DIN Box (87x105x65mm)				
Mounting	DIN bar or direct wall fixing				
VIDEO DISTRIBUTOR		_	1 x 3	316N	
PACKAGING		Gift	box		
Size		18x24:	x54cm		

SPECIAL FEATURES	
MAX DOOR STATIONS	Up to 4
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening
VANDAL RESISTANT	IK Rate 07

6256 3.5" conventional videophone





1 x (5256	2 x (:256
			1230
	6200 9	Series	
	3.5" Hi-Res co	lour LCD TFT	
	Han	dset	
4: Service, Camera recall, Door-open/Intercommunicating call, Privac			
2: Door open, Privacy ON			
Yes, up to 100 pictures stored in built in memory			
Call tone volume, Hue, Contrast, Brightness			
Privacy duration, Number of rings, Intercommunicating call			
Surface			
Satin white			
62931			
4.1Kg	4.7Kg	5.3Kg	5.9Kg
	Yes, uj Call Privacy dura	4: Service, Camera recall, Door-ope 2: Door open Yes, up to 100 pictures st Call tone volume, Hue Privacy duration, Number of r Surf Satin 629	2: Door open, Privacy ON Yes, up to 100 pictures stored in built in m Call tone volume, Hue, Contrast, Brightr Privacy duration, Number of rings, Intercommun Surface Satin white 62931

6358

6-6

3.5" hands free videomonitor



	VRVKC-1/6358	VRVKC-1S/6358	VRVKC-2/6358	VRVKC-2S/6358
INDOOR STATION	1 x (5358	2 x (6358
SERIES		6300	Series	
DISPLAY		3.5" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	63931			
PACKAGING WEIGHT	3.8Kg	4.7Kg	5.1Kg	5.8Kg

6458

4.3" hands free videomonitor





	VRVKC-1/6458	VRVKC-1S/6458	VRVKC-2/6458	VRVKC-2S/6458
INDOOR STATION	1 x 6	5458	2 x (5458
SERIES		6400	Series	_
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
Mounting	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.1Kg	5.8Kg

5758

7" hands free videomonitor







	VRVKC-1/6758	VRVKC-1S/6758	VRVKC-2/6758	VRVKC-2S/6758
INDOOR STATION	1 x 6	6758	2 x 6758	
SERIES		6700 9	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3:	: Door open, Privad	y ON, Conversatio	on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	4.1Kg	4.7Kg	5.3Kg	6.1Kg

¹ A button can have multiple functions ² To be ordered separately

ESVK Series Videokit

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way system







2 WIRE BUS

ercom. Wide camer opt.



		i.	İ	ı
	ESVK-1	ESVK-1S	ESVK-2	ESVK-2S
CONNECTION		2 WIR	E BUS	
OUTDOOR STATION		4000	Series	
SPEAKER UNIT MODULE	1 x 4	333-1	1 x 4 3	333-2
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs
WIDE CAMERA OPT.		Avail	lable	
LEDs		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1	2	2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			itor discharge
CALL	Electronic Call Tone			
MOUNTING BOX	1 x 4851 1 x 4881 1 x 4851 1 x 4			1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
Size		1 mo	dule	
MOUNTING	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT	1 x 2321			
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			
MOUNTING	DIN bar or direct wall fixing			
PACKAGING		Gift	box	
SIZE	31x17	x13cm	25.3x24.4	4x18.3cm

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

WVIDEX°

3.5" conventional videophone 6286





	ESVK-1/6286	ESVK-1S/6286	ESVK-2/6286	ESVK-2S/6286	
INDOOR STATION	1 x 6	5286	2 x 6286		
SERIES		6200	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Han	dset		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicat- ing call, Camera recall/Camera switch				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, u	p to 100 pictures s	tored in built in m	emory	
ADJUSTMENT	Cal	l tone volume, Hue	e, Contrast, Brightn	ess	
PROGRAMMING	Privacy duration,	Melody type, Numl	oer of rings, Interco	mmunicating call	
Mounting	Surface				
FINISHING	Satin white				
DESKTOP KIT OPT. ²	62931				
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.8Kg	3.1Kg	

6388

3.5" hands free videomonitor



	ESVK-1/6388	ESVK-1S/6388	ESVK-2/6388	ESVK-2S/6388	
INDOOR STATION	1 x 6	388	2 x 6	5388	
SERIES		6300 9	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3	: Door open, Privad	y ON, Conversatio	n	
MEMORY BOARD OPT.	Yes, u	p to 100 pictures s	tored in built in m	emory	
ADJUSTMENT	Melody vol	ume, Speech volui	me, Hue, Contrast,	Brightness	
Programming	Privacy duration,	Melody type, Numb	oer of rings, Interco	ommunicating call	
MOUNTING	Surface				
FINISHING	Satin white (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	63931				
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg	

6488

4.3" hands free videomonitor





	ESVK-1/6488	ESVK-1S/6488	ESVK-2/6488	ESVK-2S/6488	
INDOOR STATION	1 x 6488 2 x 6488			488	
SERIES		6400 5	Series		
DISPLAY		4.3" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin white				
DESKTOP KIT OPT. ²	64931				
PACKAGING WEIGHT	2.5Kg 2.7Kg 2.7Kg 2.9Kg				







	ESVK-1/6788	ESVK-1S/6788	ESVK-2/6788	ESVK-2S/6788	
INDOOR STATION	1 x 6788 2 x 6788			5788	
SERIES		6700	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3	: Door open, Priva	cy ON, Conversatio	n	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
Mounting	Surface				
FINISHING	Satin white (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.9Kg	3.2Kg	

¹ A button can have multiple functions ² To be ordered separately

ESVK Series Videokit

Kristallo® Series

Pure two wire one way or two way system







2 WIRE BUS

Intercom. Wide came



	ESVK-1	ESVK-1S	ESVK-2	ESVK-2S	
CONNECTION		2 WIR	E BUS		
OUTDOOR STATION		4000	Series		
SPEAKER UNIT MODULE	1 x 4	333-1	1 x 4 3	333-2	
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs	
WIDE CAMERA OPT.		Avai	lable		
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge	
CALL		Electronic	Call Tone		
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881	
RAINSHIELD OPT. ²	4871	4891	4871	4891	
SIZE		1 mc	dule		
MOUNTING	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT		1 x 2	2321		
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A				
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)				
MOUNTING	DIN bar or direct wall fixing				
PACKAGING	Giftbox				
SIZE	31x17	x13cm	25.3x24.4	x18.3cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

WVIDEX°

KRV86

3.5" conventional and hands free videomonitor



	ESVK-1/KRV86	ESVK-1S/KRV86	ESVK-2/KRV86	ESVK-2S/KRV86		
INDOOR STATION	1 x K	RV86	2 x KRV86			
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Handset /	Hands free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: Door open, Priva	cy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card					
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
Mounting	Surface					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV931					
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg		

KRV88

3.5" hands free videomonitor







	ESVK-1/KRV88	ESVK-1S/KRV88	ESVK-2/KRV88	ESVK-2S/KRV88		
INDOOR STATION	1 x K	RV88	2 x KRV88			
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: Door open, Priva	cy ON, Conversation			
MEMORY BOARD OPT.		Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card				
ADJUSTMENT	Melody v	olume, Speech volu	me, Hue, Contrast, B	Brightness		
PROGRAMMING	Date & tim	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call				
Mounting	Surface Flush (requires KRV981 ² or KRV983 ²)					
FINISHING	/W white - /B black					
PACKAGING WEIGHT	2.4Kg	2.7Kg	2.8Kg	3.1Kg		

KRV782







	ESVK-1/KRV782	ESVK-1S/KRV782	ESVK-2/KRV782	ESVK-2S/KRV782		
INDOOR STATION	1 x K I	RV782	2 x K l	RV782		
SERIES		Kristallo	° Series			
DISPLAY		7" Hi-Res co	lour LCD TFT			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment					
LEDS		2: Door oper	ı, Privacy ON			
MEMORY BOARD OPT.		ures stored in built i onds videoclips store				
ADJUSTMENT	Melody v	olume, Speech volui	me, Hue, Contrast, B	rightness		
PROGRAMMING	Privacy duration	, Melody type, Numb	oer of rings, Interco	mmunicating call		
Mounting	Surface Flush (requires KRV7981 ² or KRV7983 ²)					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV7931					
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg		

¹ A button can have multiple functions ² To be ordered separately

ESVKC Series Videocode

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way videokit with codelock









Codelock Intercom. unit

. Wide camera



	ESVKC-1	ESVKC-1S	ESVKC-2	ESVKC-2S	
CONNECTION		2 WIR	E BUS		
OUTDOOR STATION		4000 9	Series		
SPEAKER UNIT MODULE	1 x 4 3	333-1	1 x 4 3	333-2	
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	n LEDs	
WIDE CAMERA OPT.		Avail	able		
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge	
CALL		Electronic	Call Tone		
CODELOCK UNIT		1 x 48	воом		
CODES / RELAYS		3 /	3		
ILLUMINATION		Υe	es		
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT. ²	4872	4892	4872	4892	
SIZE		2 mo	dules		
Mounting	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT		1 x 2	2321		
INPUT/OUTPUT/A		230Vac / 32	2Vdc / 0.8A		
SIZE	9 M	odules A Type DIN	Box (157.5x105x65n	nm)	
MOUNTING		DIN bar or dir	ect wall fixing		
POWER SUPPLY CONV.		1 x 2	322		
INPUT/OUTPUT/MA	BUS line / 12Vdc / 100mA				
Size	Plastic box (50x60x20mm)				
Mounting	Direct wall fixing				
PACKAGING		Gift	box		
Size	41.5x17	7x15cm	18x24x	κ54cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances ex- changer Art.2301N
MAX INDOOR STATIONS	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

3.5" conventional videophone





	ESVKC-1/6286	ESVKC-1S/6286	ESVKC-2/6286	ESVKC-2S/6286	
INDOOR STATION	1 x (5286	2 x 6286		
SERIES		6200 9	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Han	dset		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicat- ing call, Camera recall/Camera switching call, camera recall				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin white				
DESKTOP KIT OPT. ²	62931				
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.4Kg	3.8Kg	

6388

3.5" hands free videomonitor



	ESVKC-1/6388	ESVKC-1S/6388	ESVKC-2/6388	ESVKC-2S/6388	
INDOOR STATION	1 x 6	388	2 x (5388	
SERIES		6300	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/bus relay activation, Door-open/Intercommunicating call, Answer/Camera recall				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin white (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	63931				
PACKAGING WEIGHT	3Kg	3.3Kg	3.2Kg	3.6Kg	

6488

6-6

4.3" hands free videomonitor





	ESVKC-1/6488	ESVKC-1S/6488	ESVKC-2/6488	ESVKC-2S/6488		
INDOOR STATION	1 x 6488 2 x 6488			5488		
SERIES		6400	Series			
DISPLAY		4.3" Hi-Res co	olour LCD TFT			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk					
LEDS	3: Door open, Privacy ON, Conversation					
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory					
ADJUSTMENT	Melody vol	ume, Speech volui	me, Hue, Contrast,	Brightness		
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call					
MOUNTING	Surface					
FINISHING	Satin white					
DESKTOP KIT OPT. ²	64931					
PACKAGING WEIGHT	3Kg 3.4Kg 3.3Kg 3.7Kg					

5788

7" hands free videomonitor







	ESVKC-1/6788	ESVKC-1S/6788	ESVKC-2/6788	ESVKC-2S/6788	
INDOOR STATION	1 x 6	5788	2 x (5788	
SERIES		6700 9	Series		
DISPLAY		7" Hi-Res co	lour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3:	Door open, Privac	y ON, Conversatio	on	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin white (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	67931				
PACKAGING WEIGHT	3Kg	3.4Kg	3.4Kg	3.9Kg	

¹A button can have multiple functions ²To be ordered separately

ESVKC Series Videocode

Kristallo® Series


with codelock













	ESVKC-1	ESVKC-1S	ESVKC-2	ESVKC-2S	
CONNECTION		2 WIR	E BUS		
OUTDOOR STATION		4000 5	Series		
SPEAKER UNIT MODULE	1 x 4 :	333-1	1 x 4 3	333-2	
CAMERA TYPE	Colou	r camera with whit	e light illuminatior	n LEDs	
WIDE CAMERA OPT.		Avail	able		
LEDS		4: Busy, Ring, Sp	eak, Door Open		
CALL BUTTONS		1	2	2	
DOOR OPENING	Built-in Lock F	Relay Dry Contacts	C, NC, NO or capac	itor discharge	
CALL		Electronic	Call Tone		
CODELOCK UNIT		1 x 4800M			
CODES / RELAYS	3 / 3				
ILLUMINATION	Yes				
MOUNTING BOX	1 x 4852	1 x 4882	1 x 4852	1 x 4882	
RAINSHIELD OPT. ²	4872	4892	4872	4892	
SIZE	2 modules				
Mounting	Flush	Surface	Flush	Surface	
POWER SUPPLY UNIT	1 x 2321				
INPUT/OUTPUT/A		230Vac / 32	2Vdc / 0.8A		
SIZE	9 M	odules A Type DIN	Box (157.5x105x65n	nm)	
MOUNTING		DIN bar or dir	ect wall fixing		
POWER SUPPLY CONV.	1 x 2322				
INPUT/OUTPUT/MA	BUS line / 12Vdc / 100mA				
SIZE	Plastic box (50x60x20mm)				
MOUNTING	Direct wall fixing				
PACKAGING		Gift	box		
Size	41.5x17	7x15cm	18x24x	x54cm	

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
MAX DOOR STATIONS	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
Intercommunication	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

WVIDEX°

KRV86

3.5" conventional and hands free videomonitor



	ESVKC-1/KRV86	ESVKC-1S/KRV86	ESVKC-2/KRV86	ESVKC-2S/KRV86			
INDOOR STATION	1 x K	RV86	2 x K	RV86			
SERIES		Kristallo	° Series				
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD				
HANDSET / HANDS FREE		Handset / Hands free					
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch						
LEDS		3: door open, Privacy ON, Conversation					
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card						
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness					
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call						
MOUNTING	Surface						
FINISHING	/W white - /B black						
DESKTOP KIT OPT. ²	KRV931						
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.7Kg	4.1Kg			

KRV88

3.5" hands free videomonitor







	ESVKC-1/KRV88	ESVKC-1S/KRV88	ESVKC-2/KRV88	ESVKC-2S/KRV88		
INDOOR STATION	1 x K	RV88	2 x K	RV88		
SERIES		Kristallo	° Series			
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch					
LEDS		3: door open, Priva	cy ON, Conversation			
MEMORY BOARD OPT.		Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card				
ADJUSTMENT	Melody v	Melody volume, Speech volume, Hue, Contrast, Brightness				
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call					
Mounting	Surface Flush (requires KRV981 ² or KRV983 ²)					
FINISHING	/W white - /B black					
PACKAGING WEIGHT	3Kg	3.4Kg	3.4Kg	3.8Kg		

KRV782







	ESVKC-1/KRV782	ESVKC-1S/KRV782	ESVKC-2/KRV782	ESVKC-2S/KRV782		
INDOOR STATION	1 x K I	RV782	2 x K I	RV782		
SERIES		Kristallo	o® Series			
DISPLAY		7" Hi-Res co	lour LCD TFT			
HANDSET / HANDS FREE		Hand	s free			
BUTTONS/ SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjust- ment, Brightness and hue adjustment					
LEDS		2: Door oper	n, Privacy ON			
MEMORY BOARD OPT.	, , , , , , , , , , , , , , , , , , ,	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card				
ADJUSTMENT	Melody v	olume, Speech volu	me, Hue, Contrast, E	Brightness		
PROGRAMMING	Privacy duration	, Melody type, Numl	per of rings, Interco	mmunicating call		
Mounting	Surface Flush (requires KRV7981 ² or KRV7983 ²)					
FINISHING	/W white - /B black					
DESKTOP KIT OPT. ²	KRV7931					
PACKAGING WEIGHT	3.1Kg	3.5Kg	3.7Kg	4.1Kg		

¹ A button can have multiple functions ² To be ordered separately

ESVKX Series Videokit

6200, 6300, 6400, 6700 Series

Pure two wire one way or two way system with integrated proximity access control









Proximity Intercom. Wide camera reader opt.



	ESVKX-1	ESVKX-1S	ESVKX-2	ESVKX-2S		
CONNECTION	2 WIRE BUS					
OUTDOOR STATION		4000	Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4 3	33X-1	1 x 43	33X-2		
CAMERA TYPE	Colou	r camera with whit	e light illumination	n LEDs		
WIDE CAMERA OPT.		Avail	lable			
LEDS		4: Busy, Ring, Sp	eak, Door Open			
CALL BUTTONS		1	2	2		
DOOR OPENING	Built-in Lock F	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge				
CALL	Electronic Call Tone					
KEYS / RELAYS	Up to 50 / 1					
RFID FREQUENCY		125	KHz			
FOBS	1 x 955/C card format 1 x 955/C card format 2 x 955/T tag format 4 x 955/T tag format					
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881		
RAINSHIELD OPT. ²	4871	4891	4871	4891		
SIZE		1 mo	dule			
MOUNTING	Flush	Surface	Flush	Surface		
POWER SUPPLY UNIT	1 x 2321					
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A					
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)					
Mounting	DIN bar or direct wall fixing					
PACKAGING		Gift	box			
SIZE	31x17	x13cm	25.3x24.4	+x18.3cm		

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 50 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).



3.5" conventional videophone





	ESVKX-1/6286	ESVKX-1S/6286	ESVKX-2/6286	ESVKX-2S/6286		
INDOOR STATION	1 x 6286 2 x 6286					
SERIES		6200 5	Series			
DISPLAY		3.5" Hi-Res co	olour LCD TFT			
HANDSET / HANDS FREE		Han	dset			
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicating call, Camera recall/Camera switch					
LEDS	3: Door open, Privacy ON, Conversation					
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory					
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness					
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call					
MOUNTING	Surface					
FINISHING	Satin white					
DESKTOP KIT OPT. ²	62931					
PACKAGING WEIGHT	2.5Kg 2.8Kg 2.8Kg 3.1Kg					

6388

6-6

3.5" hands free videomonitor



	ESVKX-1/6388	ESVKX-1S/6388	ESVKX-2/6388	ESVKX-2S/6388	
INDOOR STATION	1 x 6	388	2 x (5388	
SERIES		6300	Series		
DISPLAY		3.5" Hi-Res co	olour LCD TFT		
HANDSET / HANDS FREE		Hand	s free		
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk				
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory				
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness				
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call				
MOUNTING	Surface				
FINISHING	Satin white (standard) - /B Black Rubber				
DESKTOP KIT OPT. ²	63931				
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg	

6488

4.3" hands free videomonitor





	ESVKX-1/6488	ESVKX-1S/6488	ESVKX-2/6488	ESVKX-2S/6488
INDOOR STATION	1 x 6	5488	2 x (5488
SERIES		6400 5	Series	
DISPLAY		4.3" Hi-Res co	olour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Dooropen/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3: Door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
Mounting	Surface			
FINISHING	Satin white			
DESKTOP KIT OPT. ²	64931			
PACKAGING WEIGHT	2.5Kg	2.7Kg	2.7Kg	2.9Kg

788

7" hands free videomonitor







	ESVKX-1/6788	ESVKX-1S/6788	ESVKX-2/6788	ESVKX-2S/6788
INDOOR STATION	1 x (5788	2 x (5788
SERIES		6700 9	Series	
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hand	s free	
BUTTONS / SERVICES ¹	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door- open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk			
LEDS	3:	Door open, Privac	cy ON, Conversatio	on
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory or up to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			ommunicating call
MOUNTING	Surface			
FINISHING	Satin white (standard) - /B Black Rubber			er
DESKTOP KIT OPT. ²	67931			
PACKAGING WEIGHT	2.5Kg	2.8Kg	2.9Kg	3.2Kg

¹A button can have multiple functions ²To be ordered separately

ESVKX Series Videokit

Kristallo® Series

Pure two wire one way or two way system with integrated proximity access control









RE Proximity I S reader

Intercom. Wide camera



	ESVKX-1	ESVKX-1S	ESVKX-2	ESVKX-2S
CONNECTION	2 WIRE BUS			
OUTDOOR STATION	4000 Series			
SPEAKER AND PROXIMITY UNIT MODULE	1 x 4 3	333X-1	1 x 4 3	33X-2
CAMERA TYPE	Colou	ır camera with whit	e light illuminatio	n LEDs
WIDE CAMERA OPT.		Avai	lable	
LEDs		4: Busy, Ring, Sp	eak, Door Open	
CALL BUTTONS		1		2
DOOR OPENING	Built-in Lock Relay Dry Contacts C, NC, NO or capacitor discharge			itor discharge
CALL	Electronic Call Tone			
KEYS / RELAYS	Up to 50 / 1			
Fobs	1 x 955/C card format 1 x 955/C card format 2 x 955/T tag format 4 x 955/T tag format			
MOUNTING BOX	1 x 4851	1 x 4881	1 x 4851	1 x 4881
RAINSHIELD OPT. ²	4871	4891	4871	4891
SIZE		1 mc	dule	
Mounting	Flush	Surface	Flush	Surface
POWER SUPPLY UNIT		1 x 2	2321	
INPUT/OUTPUT/A	230Vac / 32Vdc / 0.8A			
SIZE	9 Modules A Type DIN Box (157.5x105x65mm)			nm)
MOUNTING	DIN bar or direct wall fixing			
PACKAGING	Giftbox			
Size	31x17	'x13cm	25.3x24.4	4x18.3cm

SPECIAL FEATURES	
MAX CALL BUTTONS	Up to 12
Max Door Stations	Up to 8 using entrances ex- changer Art.2301N
Max Indoor Stations	Up to 4 per call button
INTEGRATED PROXIMITY ACCESS	Up to 50 users
DISABILITY FRIENDLY	Yes, acoustic & visual signalling
CAMERA RECALL	Yes, selective on multiple door station system
INTERCOMMUNICATION	Yes, between apartments or between extensions without any additional connection or requirement
LOCAL BELL	Yes with different call tone from external call
PRIVACY	Yes to temporarily disable the call
PUSH TO EXIT INPUT	Yes, 1
PROGRAMMABLE TIMES	Conversation and Door Opening

NOTE: 2 wire bus (not polarity conscious).

WVIDEX°

KRV86

3.5" conventional and hands free videomonitor



	ESVKX-1/KRV86	ESVKX-1S/KRV86	ESVKX-2/KRV86	ESVKX-2S/KRV86
INDOOR STATION	1 x K	RV86	2 x K	RV86
SERIES		Kristallo	° Series	
DISPLAY		3.5" Hi-Res colo	our LCD TFT OSD	
HANDSET / HANDS FREE	Handset / Hands free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS		3: door open, Privacy ON, Conversation		
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			rightness
PROGRAMMING	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			er of rings,
MOUNTING	Surface			
FINISHING	/W white - /B black			
DESKTOP KIT OPT. ²		KRV	/931	
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg

KRV88

3.5" hands free videomonitor







	ESVKX-1/KRV88	ESVKX-1S/KRV88	ESVKX-2/KRV88	ESVKX-2S/KRV88
INDOOR STATION	1 x K	RV88	2 x K	RV88
SERIES		Kristallo	° Series	
DISPLAY		3.5" Hi-Res colo	ur LCD TFT OSD	
HANDSET / HANDS FREE	Hands free			
BUTTONS/ SERVICES ¹	3: Answer/Camera recall/End conversation/Push to talk, Door-open/Aux service/Intercommunicating call, Privacy/Programming menu/Call reject/Adjustment menu/Bus relay activation Menu navigation/Camera switch			
LEDS	3: door open, Privacy ON, Conversation			
MEMORY BOARD OPT.	Yes, up to 128 pictures or 66 15 seconds videoclips stored in built in memory. Ability to copy pictures/videoclips to MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			
Programming	Date & time, Privacy duration, Melody type, Number of rings, Intercommunicating call			
Mounting	Surface Flush (requires KRV981 ² or KRV983 ²)			
FINISHING	/W white - /B black			
PACKAGING WEIGHT	2.4Kg	2.7Kg	2.8Kg	3.1Kg

KRV782







	ESVKX-1/KRV782	ESVKX-1S/KRV782	ESVKX-2/KRV782	ESVKX-2S/KRV782
INDOOR STATION	1 x K I	RV782	2 x K l	RV782
SERIES		Kristallo® Series		
DISPLAY		7" Hi-Res co	lour LCD TFT	
HANDSET / HANDS FREE		Hands free		
BUTTONS/ SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus relay activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjust- ment, Brightness and hue adjustment			
LEDS	2: Door open, Privacy ON			
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card			
ADJUSTMENT	Melody volume, Speech volume, Hue, Contrast, Brightness			rightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call			mmunicating call
MOUNTING	Surface Flush (requires KRV7981 ² or KRV7983 ²)			
FINISHING	/W white - /B black			
DESKTOP KIT OPT. ²	KRV7931			
PACKAGING WEIGHT	2.6Kg	2.9Kg	3.2Kg	3.5Kg

¹ A button can have multiple functions ² To be ordered separately

8000 Series Audio and Video Outdoor stations





Finishes

FRONT PLATE



Standard version Mirror stainless steel



/A Aluminium When ordering put **/A** after the code

MODULE SUPPORT PLUS RAINSHIELD AND SURFACE MOUNTING BOX



Standard version Aluminium



/BL Black When ordering put **/BL** after the code

MODULE SUPPORT



Standard version Aluminium



/BL Black
When ordering put **/BL**after the code

RAINSHIELD (OPTIONAL)





Standard version Aluminium




/BL Black When ordering put **/BL** after the code

Audio outdoor stations measurements (in mm)







4000 Series Audio and Video Outdoor stations





Finishes

FRONT PLATE



Standard version Mirror stainless steel



/A Anodized Aluminium When ordering put **/A** after the code



/M Matte When ordering put **/M** after the code



Vandal resistant version Brushed stainless steel

MODULE SUPPORT FRAME



Standard version Embossed metallized gun-metal grey



/AP Aluminium Painted When ordering put **/AP** after the code



Audio and video outdoor station measurements (in mm) **FLUSH MOUNTING SURFACE MOUNTING** 1 MODULE Without rainshield With rainshield 4871 Without rainshield With rainshield 4891 2 MODULES Without rainshield With rainshield 4872 Without rainshield With rainshield 4872 3 MODULES (ONLY VRVKC) 400.4 400.4 383.4 With rainshield 4873 With rainshield 4893 Without rainshield Without rainshield

Smart, Mini and Slim Series Audio outdoor stations













Finishes for SMK, ESK and MK audiokits

FRONT PLATE








/G Gold When ordering put **/G** after the code



/W White When ordering put **/W** after the code


SMK, ESK, MK and SLK audiokits outdoor station measurements (in mm)



6200 and 6400 Series Indoor stations








	6256	6286	
DISPLAY	3.5" Hi-Res colour LCD TFT		
HANDSET / HANDS FREE	н	andset	
CONNECTION	6 WIRE BUS	2 WIRE BUS	
BUTTONS / SERVICES ¹	4: Service, Camera recall, Door-open/Intercommunicating call, Privacy	4: Service, Privacy/Bus relay activation, Door-open/Intercommunicat- ing call, Camera recall/Camera switch	
LEDS	2: Door open, Privacy ON	3: Door open, Privacy ON, Conversation	
MEMORY BOARD OPT.	Yes, up to 100 pictures	s stored in built in memory	
ADJUSTMENT	Call tone volume, Hue, Contrast, Brightness		
PROGRAMMING	Privacy duration, Number of rings, Intercommunicating call	Privacy duration, Melody type, Number of rings, Intercommunicating call	
MOUNTING	Surface		
FINISHING	Satin white		
DESKTOP KIT OPT. ²		62931	







	6458	6488
DISPLAY	4.3" Hi-Res	s colour LCD TFT
HANDSET / HANDS FREE	Ha	nds free
CONNECTION	6 WIRE BUS	2 WIRE BUS
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk
LEDS	3: Door open, Privacy ON, Conversation	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory	
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness	
Programming	Privacy duration, Melody type, Number of rings, Intercommunicating call	
MOUNTING	Surface	
FINISHING	Satin white	
DESKTOP KIT OPT. ²		64931


¹ A button can have multiple functions ² To be ordered separately

6300 and 6700 Series Indoor stations










	6358	6388	
DISPLAY	3.5" Hi-Res	s colour LCD TFT	
HANDSET / HANDS FREE	Ha	nds free	
CONNECTION	6 WIRE BUS	2 WIRE BUS	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk	4: Service, Privacy/Bus relay activation/Camera switch/Call reject, Door-open/Intercommunicating call, Answer/OFF/Camera recall/Push to talk	
LEDS	3: Door open, Pri	vacy ON, Conversation	
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory		
ADJUSTMENT	Call tone volume, Speech v	olume, Hue, Contrast, Brightness	
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call		
MOUNTING	Surface		
FINISHING	Satin white (standard) - /B Black Rubber		
DESKTOP KIT OPT. ²		63931	









	6758	6788	
DISPLAY	7" Hi-Res colour LCD TFT		
HANDSET / HANDS FREE	Hand	s free	
CONNECTION	6 WIRE BUS	2 WIRE BUS	
BUTTONS / SERVICES ¹	4: Service, Privacy, Door-open/Intercom- municating call, Answer/OFF/Camera recall/Push to talk	4: Service, Privacy/Bus relay activation/ Camera switch/Call reject, Door-open/ Intercommunicating call, Answer/OFF/ Camera recall/Push to talk	
LEDS	3: Door open, Privacy ON, Conversation		
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card		
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness		
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call		
MOUNTING	Surface		
FINISHING	Satin white (standard) - /B Black Rubber		
DESKTOP KIT OPT. ²	67931		

Finishes






Satin White (standard)

/B Black Rubber When ordering put **/B** after the code

¹ A button can have multiple functions ² To be ordered separately


Kristallo[®] Series Indoor stations











	KRV782
DISPLAY	7" Hi-Res colour LCD TFT
HANDSET / HANDS FREE	Hands free
CONNECTION	2 WIRE BUS
BUTTONS / SERVICES ¹	Camera recall/Answer/End conversation/Push to talk, Intercommunicating call/Door-open, Bus realy activation, Privacy/Call reject, Melody volume/Camera switch, Speech volume adjustment, Brightness and hue adjustment
LEDS	2: Door open, Privacy ON
MEMORY BOARD OPT.	Yes, up to 100 pictures stored in built in memory orup to 4096 pictures or 512 15 seconds videoclips stored in MicroSD memory card
ADJUSTMENT	Call tone volume, Speech volume, Hue, Contrast, Brightness
PROGRAMMING	Privacy duration, Melody type, Number of rings, Intercommunicating call
Mounting	Surface Flush (require KRV7981 ² or KRV7983 ²)
FINISHING	/W White - /B Black
DESKTOP KIT OPT. ²	KRV7931

Finishes







/B Black When ordering put **/B** after the code


A button can have multiple functions

² To be ordered separately

3600 and 5000 Series Indoor stations








	3656	3686			
DISPLAY	3.5" Hi-Res colour LCD TFT				
HANDSET / HANDS FREE	Handset				
CONNECTION	6 WIRE BUS 2 WIRE BUS				
BUTTONS / SERVICES ¹	3: Camera recall, Door-open/Intercommunicating call, Privacy	3: Camera recall/Camera switch, Door-open/Dry contact relay/Inter- communicating call, Privacy/Bus relay activation			
LEDS	3: Door open, Privacy ON, Conversation				
MEMORY BOARD OPT.	Not available				
ADJUSTMENT	Tall tone volume, Hue, Brightness Call tone volume, Hue, Contras				
PROGRAMMING	Privacy duration, Number of rings	Privacy duration, Melody type, Number of rings, Intercommunicating call			
MOUNTING	Surface				
FINISHING	Gloss white				
DESKTOP KIT OPT. ²	36931				











	5456			
DISPLAY	3.5" Hi-Res colour LCD TFT			
HANDSET / HANDS FREE	Hands free			
CONNECTION	6 WIRE BUS			
BUTTONS / SERVICES ¹	6: Answer/Push to talk/OFF, Privacy, Door-open/Intercommunicating call, 3 Service buttons			
LEDS	4: Door open, Privacy ON, Conversation, Service			
MEMORY BOARD OPT.	Yes, up to 512 pictures stored in built in memory			
ADJUSTMENT	Call tone volume, Speech volume, Hue, Brightness			
PROGRAMMING	Privacy duration, Melody type, Number of rings			
MOUNTING	Surface Flush (require 5981N ² or 5983N ²)			
FINISHING	Gloss white (standard) /CR Silver /CA Carbon Fibre Effect			
DESKTOP KIT OPT. ²	5931			

Finishes







/CR Silver When ordering put /CR after the code



/CA Carbon Fibre Effect When ordering put **/CA** after the code

¹ A button can have multiple functions ² To be ordered separately



Terms and conditions of sale

1) DEFINITIONS

In this document the following words shall have the following meanings:

- a. "Buyer" means the organisation or person who buys Goods;
- **b.** "Goods" means the items to be supplied to the Buyer by the Seller; Videx Electronics S.p.A. will be hereafter called "Videx".

2) GENERAL CONDITIONS

Any variation to these Terms and Conditions (including any special terms and conditions agreed between the parties) shall be inapplicable unless agreed in writing by Videx.

3) ORDERS

Any order sent to Videx implies the Buyers acceptance of all the conditions listed into this document.

Purchases are finalized when the Buyer receives the order confirmation from Videx.

After this confirmation, the order cannot be cancelled unless Videx explicitly agrees in writing.

4) PRICES

Price list is to be considered variable as it is subject to variations in production costs which are outside of the control of Videx. Unless otherwise agreed in writing, prices shall be considered ex-works.

5) RETENTION OF TITLE

Title to the Goods shall not pass to the Buyer until Videx has been paid in full for the Goods.

6) RETURNED GOODS

Returned Goods will not be authorized unless agreed in writing by Videx. Authorized Goods will be accepted only if intact and in their original packaging. Goods not included in the price lists in force will not be accepted.

In case of accepted returned Goods a credit note, corresponding to the invoiced amount reduced by 30%, will be issued.

7) LIABILITY

- a. Videx will not be held responsible for damages arising from incorrect installations which do not comply with the specifications provided or for installations carried out by third parties, or for works carried out by third parties on behalf of the Buyer;
- b. Videx will make good, by repair or by supply of a replacement, defects which, under proper use, appear in the Goods within a period of 12 months after the Goods been sold and arise solely from faulty design, materials or workmanships; always provided that the defective parts have been acknowledged and so declared by Videx;
- c. Videx does not acknowledge any compensation for direct or indirect damages;
- d. All goods must be returned to Videx at Buyer's own expenses, until such time as these are tested Videx admits no liability for their condition;
- e. Videx admits no liabilities for defective parts caused by wear and tear;
- f. All Goods returned for repair must be accompanied by a note in writing stating the nature of the defect claimed, the date of purchase, the invoice number and should be clearly marked with the returning purchaser's full address;
- g. Any returned Goods claimed to be faulty by the Buyer and consequently tested and found to be working correctly by Videx, will be returned to the Buyer and a cost will be charged accordingly.

8) PAYMENT

Unless agreed in writing by Videx, the following general conditions apply:

- a. Payment Terms and Conditions will be specified on the invoice;
- b. Interest rates as per the banking conditions effective at the time will be charged on top of overdue payments;

9) GOVERNING LAW AND JURISDICTION

This Agreement shall be governed by and construed in accordance with the laws of the Republic of Italy. All the disputes arising out of or in connection with this Agreement shall be submitted to the exclusive jurisdiction of the Courts of Fermo (Italy).

AUDIO & VIDEO KIT CATALOGUE	
Notes	
	<u></u>
	•











WWW.VIDEX.IT

VIDEX ELECTRONICS S.P.A.

Via del Lavoro, 1 - 63846 Monte Giberto (FM) Italy Tel: (+39) 0734 631669 - Fax: (+39) 0734 632475 www.videx.it - info@videx.it facebook.com/videx.electronics



1 Osprey Trinity Park Trinity Way LONDON E4 8TD Phone: (+44) 0870 300 1240 Fax: (+44) 020 8523 5825 www.videxuk.com marketing@videxuk.com



Northern UK office: VIDEX SECURITY LTD

Unit 4-7 Chillingham Industrial Estate Chapman Street NEWCASTLE UPON TYNE - NE6 2XX Tech Line: (+44) 0191 224 3174 Phone: (+44) 0870 300 1240 Fax: (+44) 0191 224 1559



Greece office: VIDEX HELLAS Electronics

48 Filolaou Str. **11633 ATHENS** Phone: (+30) 210 7521028

(+30) 210 7521998

(+30) 210 7560712

www.videx.gr videx@videx.gr



Danish office: VIDEX DANMARK

Hammershusgade 15 DK-2100 COPENHAGEN Phone: (+45) 39 29 80 00 Fax: (+45) 39 27 77 75 www.videx.dk videx@videx.dk



Benelux office: NESTOR COMPANY NV

E3 laan, 93 B-9800 Deinze Phone: (+32) 9 380 40 20 Fax: (+32) 9 380 40 25 www.videx.be info@videx.be



Dutch office: NESTOR COMPANY BV

Business Center Twente (BCT) Grotestraat, 64 NL-7622 GM Borne www.videxintercom.nl info@videxintercom.nl