




TECHNICAL IMAGE



PACKAGING INFORMATION




Size in cm: Length: 38 - Width: 13 - Height: 38.5


Code	Description	Pcs/pallet
BG30/2204	Electromechanical BRUSHLESS motor, low voltage, super intensive use, with native encoder onboard, irreversible ideal for sliding gates up to 2200 kg with built-in digital controller B70 series, magnetic limit switch.	40

Product technical specifications	BG30/2204
Max gate weight	2200 kg
Power line supply	230V AC - 50Hz
Motor power supply	36V
Power rating	470W
Frequency of use	Intensive use
Thrust	50 - 1700N
Operating temperature	-20+55°C
Protection level	IP43
Reductor Type	Irreversible
Manoeuvre speed	10 m/min (0.16 m/s)
Limit switch	Magnetic
Onboard control unit	B70/1DCHP
Encoder	Digital native encoder + magnetic digital SENSORED, 4096 PPR
Batteries recovery	Optional 2 external battery 12V 4,5AH
Type exit gear	Z17/mod 4
Operating cycles per day (opening/closing - 24 hours no stop)	1000
Maximum dimension product in mm (L x W x H)	346 x 180 x 362
Product weight packed (Kg)	20,1
Number items per pallet	40

PRODUCT DIMENSIONS AND PREPARING FOR INSTALLATION




DIMENSIONS



PREDISPOSITION FOR STANDARD INSTALLATION


PRODUCT ACCESSORIES




B71/BCHP/EXT
Kit for emergency
batteries charger for
brushless digital
controller
B70/2DCHP/BOX 36V DC
with plug-in card, with 2
recovery batteries 12V
DC, 4.5 Ah. Box case
included.



B71/BCHP/BOX
Kit for emergency
batteries charger for
brushless digital
controller
B70/2DCHP/BOX 36V DC.
Box case included and
without recovery
batteries




KT215
Fixing plate with stay
bolts and screws G30
series.




KT222
Raised fixing plate for
G30 series (+3,5 cm) .



GA550
Galvanised steel rack
22x22x1000 module 4.



GA551
Galvanised steel rack
30x12x1000 module 4
with spacers and screws.




GA553
Nylon rack module 4 with
6 connectors L.1000.



GA554
Pocket of 6 spacers (2,5
Cm) and screws.



LT328
Z17 mod. 4 Pinion with
increased thickness H.38
for series R30 - G30 - E30



MC775
Kit magnetic limit switch
for control unit
H70/103AC, H70/104AC,
B70/1DC, B70/1DCHP.



R99/C/001
Signboard Automatic
Opening".